



Lighting Price List

English - 2026-01



2026 Retail Price List - Lighting

Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
LED Power Supply Product Code: 83340 Power: 480 W Rated Current: 40 A IP Protection: IP20-Class I Voltage: AC 176-264 V, DC 12 V Frequency: 50-60 Hz Length: 332 mm Width: 52 mm Height: 23 mm Working Temperature: -10°C - +40°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 20 pcs		Piece	14,772 FCFA	14,973 FCFA	16,526 FCFA
LED Power Supply Product Code: 78213 Power: 120 W Rated Current: 10 A IP Protection: IP20-Class I Voltage: AC 176-264 V, DC 12 V Frequency: 50-60 Hz Length: 188 mm Width: 46 mm Height: 35 mm Working Temperature: 0°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	3,850 FCFA	3,881 FCFA	4,125 FCFA
LED Power Supply Product Code: 07038 Power: 250 W Rated Current: 21 A IP Protection: IP20-Class I Voltage: AC 176-264 V, DC 12 V Frequency: 50-60 Hz Length: 224 mm Width: 69 mm Height: 40 mm Working Temperature: 0°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	6,423 FCFA	6,514 FCFA	7,220 FCFA
LED Power Supply Product Code: 12816 Power: 360 W Rated Current: 30 A IP Protection: IP20-Class I Voltage: AC 176-264 V, DC 12 V Frequency: 50-60 Hz Length: 224 mm Width: 69 mm Height: 40 mm Working Temperature: 0°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	7,655 FCFA	7,736 FCFA	8,357 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
GU10 Bulb Product Code: 33429 Power: 7 W Rated Current: 0.065 A Luminous Flux: 400 lm Beam Angle: 38 ° IP Protection: IP20-Class II Kelvin (Light Colour): 1,600 K (Amber) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Bulb Type: GU-10 Mercury Content (Hg): 0.00 mg Length: 50 mm Width: 55 mm Working Temperature: -25°C - +50°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 200 pcs		Piece	595 FCFA	610 FCFA	716 FCFA
GU10 Bulb Product Code: 64229 Power: 7 W Rated Current: 0.065 A Luminous Flux: 540 lm Beam Angle: 38 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Bulb Type: GU-10 Mercury Content (Hg): 0.00 mg Length: 50 mm Width: 55 mm Working Temperature: -25°C - +50°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 200 pcs		Piece	562 FCFA	576 FCFA	682 FCFA
GU10 Bulb Product Code: 43624 Power: 7 W Rated Current: 0.065 A Luminous Flux: 480 lm Beam Angle: 38 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Bulb Type: GU-10 Mercury Content (Hg): 0.00 mg Length: 50 mm Width: 55 mm Working Temperature: -25°C - +50°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 200 pcs		Piece	562 FCFA	576 FCFA	682 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com





Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
LED Strip Product Code: 79235 Power: 7 W LED Quantity: 60 LED / 1 m Rated Current: 0.77 A Luminous Flux: 740 lm Beam Angle: 130 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: DC 12 V Frequency: 50-60 Hz Length: 7.6 mm Width: 0.96 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 500 m		Meter	375 FCFA	379 FCFA	407 FCFA
LED Strip Product Code: 20865 Power: 7 W LED Quantity: 60 LED / 1 m Rated Current: 0.77 A Luminous Flux: 740 lm Beam Angle: 130 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: DC 12 V Frequency: 50-60 Hz Length: 7.6 mm Width: 0.96 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 500 m		Meter	375 FCFA	379 FCFA	407 FCFA
LED Strip Product Code: 49271 Power: 8 W LED Quantity: 120 LED / 1 m Rated Current: 0.04 A Luminous Flux: 750 lm Beam Angle: 130 ° IP Protection: IP44-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Length: 8 mm Width: 8 mm Height: 4.6 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 300 m		Meter	973 FCFA	980 FCFA	1,027 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
LED Strip Product Code: 74042 Power: 8 W LED Quantity: 120 LED / 1 m Rated Current: 0.04 A Luminous Flux: 750 lm Beam Angle: 130 ° IP Protection: IP44-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Length: 8 mm Width: 8 mm Height: 4.6 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 300 m		Meter	973 FCFA	980 FCFA	1,027 FCFA
LED Strip Plug Product Code: 42054 Voltage: 220-240 V Certification: CE Warranty: 1 Year Minimum Order Quantity: 250 pcs		Piece	290 FCFA	302 FCFA	391 FCFA
LED Strip Product Code: 20820 Power: 16 W LED Quantity: 240 LED / 1 m Rated Current: 1.36 A Luminous Flux: 1,800 lm Beam Angle: 130 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: DC 12 V Frequency: 50-60 Hz Length: 9.6 mm Width: 1 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 500 m		Meter	693 FCFA	700 FCFA	757 FCFA
LED Strip Product Code: 35279 Power: 16 W LED Quantity: 240 LED / 1 m Rated Current: 1.36 A Luminous Flux: 1,750 lm Beam Angle: 130 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: DC 12 V Frequency: 50-60 Hz Length: 9.6 mm Width: 1 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 500 m		Meter	693 FCFA	700 FCFA	757 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
LED Strip Product Code: 93240 Power: 10 W LED Quantity: 120 LED / 1 m Rated Current: 0.83 A Luminous Flux: 1,100 lm Beam Angle: 130 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: DC 12 V Frequency: 50-60 Hz Length: 8 mm Width: 1 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 500 m		Meter	423 FCFA	430 FCFA	487 FCFA
LED Strip Product Code: 91754 Power: 10 W LED Quantity: 120 LED / 1 m Rated Current: 0.83 A Luminous Flux: 1,050 lm Beam Angle: 130 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: DC 12 V Frequency: 50-60 Hz Length: 8 mm Width: 1 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 500 m		Meter	423 FCFA	430 FCFA	487 FCFA
LED Strip Product Code: 89826 Power: 6 W LED Quantity: 120 LED / 1 m Rated Current: 0.125 A Luminous Flux: 200 lm Beam Angle: 130 ° IP Protection: IP64-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Length: 9.3 mm Width: 4.7 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 100 m		Meter	752 FCFA	780 FCFA	991 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
LED Strip Product Code: 81980 Power: 6 W LED Quantity: 120 LED / 1 m Rated Current: 0.125 A Luminous Flux: 180 lm Beam Angle: 130 ° IP Protection: IP64-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Length: 9.3 mm Width: 4.7 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 100 m		Meter	752 FCFA	780 FCFA	991 FCFA
RGB LED Strip Set Product Code: 88328 Luminous Flux: 60 lm IP Protection: IP20-Class II Kelvin (Light Colour): RGB Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 50 set		Set	3,643 FCFA	3,698 FCFA	4,121 FCFA
LED Strip Product Code: 35086 Power: 12 W Rated Current: 0.054 A Luminous Flux: 1,200 lm Beam Angle: 130 ° IP Protection: IP44-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Length: 8 mm Width: 8 mm Height: 4.6 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 100 m		Meter	1,309 FCFA	1,327 FCFA	1,468 FCFA
LED Strip Product Code: 49338 Power: 12 W Rated Current: 0.054 A Luminous Flux: 1,200 lm Beam Angle: 130 ° IP Protection: IP44-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Length: 8 mm Width: 8 mm Height: 4.6 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 100 m		Meter	1,309 FCFA	1,327 FCFA	1,468 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
 NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
LED Strip Plug Product Code: 09407 Voltage: 220-240 V Certification: CE Warranty: 1 Year Minimum Order Quantity: 250 pcs		Piece	346 FCFA	359 FCFA	447 FCFA
LED Floodlight Product Code: 47606 Power: 50 W Rated Current: 0.223 A Luminous Flux: 4,000 lm Beam Angle: 85 ° IP Protection: IP65-Class I Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Frame Colour: Grey Length: 184 mm Width: 124 mm Height: 25 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 40 pcs		Piece	5,398 FCFA	5,468 FCFA	5,997 FCFA
LED Floodlight Product Code: 54283 Power: 100 W Rated Current: 0.465 A Luminous Flux: 8,500 lm Beam Angle: 85 ° IP Protection: IP65-Class I Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Frame Colour: Grey Length: 204 mm Width: 144 mm Height: 25 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 40 pcs		Piece	7,666 FCFA	7,758 FCFA	8,464 FCFA
LED Floodlight Product Code: 06002 Power: 200 W Rated Current: 0.846 A Luminous Flux: 17,800 lm Beam Angle: 85 ° IP Protection: IP65-Class I Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Frame Colour: Grey Length: 304 mm Width: 224 mm Height: 25 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 10 pcs		Piece	20,530 FCFA	20,896 FCFA	23,719 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Solar LED Floodlight Product Code: 65779 Power: 200 W Rated Current: 5 A Luminous Flux: 2,200 lm Beam Angle: 120 ° IP Protection: IP65-Class III Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Frame Colour: Grey Battery Voltage: 6 V Solar Battery Voltage: 9.6 AH 3.7 V Length: 170 mm Width: 210 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 20 pcs		Piece	14,119 FCFA	14,576 FCFA	18,105 FCFA
Recessed Square Spotlight Housing - Set of 2 Product Code: 38831 Power: maks. 2x50 W IP Protection: IP20-Class II Voltage: 180-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: Black Case Colour: Black Bulb Type: GU-10 Length: 185 mm Width: 100 mm Working Temperature: -20°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 30 pcs		Piece	2,473 FCFA	2,626 FCFA	3,802 FCFA
LED Strip Plug Product Code: 36869 Voltage: 220-240 V Certification: CE Warranty: 1 Year Minimum Order Quantity: 250 pcs		Piece	684 FCFA	696 FCFA	785 FCFA
Recessed Slim LED Panel Product Code: 56632 Power: 6 W Rated Current: 0.05 A Luminous Flux: 530 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: Black Length: 118 mm Width: 15 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	1,466 FCFA	1,549 FCFA	2,184 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Recessed Slim LED Panel Product Code: 39747 Power: 6 W Rated Current: 0.05 A Luminous Flux: 510 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: Black Length: 118 mm Width: 15 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	1,466 FCFA	1,549 FCFA	2,184 FCFA
Recessed Slim LED Panel Product Code: 52041 Power: 6 W Rated Current: 0.05 A Luminous Flux: 530 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Length: 118 mm Width: 15 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	1,354 FCFA	1,437 FCFA	2,072 FCFA
Recessed Slim LED Panel Product Code: 00763 Power: 6 W Rated Current: 0.05 A Luminous Flux: 510 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Length: 118 mm Width: 15 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	1,354 FCFA	1,437 FCFA	2,072 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Recessed Slim LED Panel Product Code: 43608 Power: 12 W Rated Current: 0.10 A Luminous Flux: 1,155 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Length: 168 mm Width: 15 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 60 pcs		Piece	2,328 FCFA	2,435 FCFA	3,259 FCFA
Recessed Slim LED Panel Product Code: 79571 Power: 12 W Rated Current: 0.10 A Luminous Flux: 820 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Length: 168 mm Width: 15 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 60 pcs		Piece	2,328 FCFA	2,435 FCFA	3,259 FCFA
Recessed Slim LED Panel Product Code: 09800 Power: 18 W Rated Current: 0.14 A Luminous Flux: 1,870 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Length: 220 mm Width: 15 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 40 pcs		Piece	2,897 FCFA	3,012 FCFA	3,894 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Recessed Slim LED Panel Product Code: 40503 Power: 18 W Rated Current: 0.14 A Luminous Flux: 1,830 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Length: 220 mm Width: 15 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 40 pcs		Piece	2,897 FCFA	3,012 FCFA	3,894 FCFA
Corridor Lighting with Sensor Product Code: 00998 Power: 1 W Rated Current: 0.056 A Luminous Flux: 30 lm Beam Angle: 120 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Detection Distance: max. 5 m Mounting Type: Wall-Mounted Frame Colour: White Length: 85 mm Width: 85 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	2,103 FCFA	2,131 FCFA	2,343 FCFA
Corridor Lighting with Sensor Product Code: 94725 Power: 1 W Rated Current: 0.056 A Luminous Flux: 30 lm Beam Angle: 120 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Detection Distance: max. 5 m Mounting Type: Wall-Mounted Frame Colour: Black Length: 85 mm Width: 85 mm Working Temperature: -25°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	2,103 FCFA	2,131 FCFA	2,343 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Recessed Round Spotlight Housing Product Code: 45360 Power: maks. 50 W IP Protection: IP20-Class II Voltage: 180-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Case Colour: Black Bulb Type: GU-10 Length: 100 mm Width: 40 mm Working Temperature: -20°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	1,360 FCFA	1,451 FCFA	2,157 FCFA
Recessed Square Spotlight Housing Product Code: 55168 Power: maks. 50 W IP Protection: IP20-Class II Voltage: 180-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Case Colour: Black Bulb Type: GU-10 Length: 100 mm Width: 100 mm Height: 40 mm Working Temperature: -20°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	1,360 FCFA	1,451 FCFA	2,157 FCFA
Recessed Square Spotlight Housing Product Code: 27667 Power: maks. 50 W IP Protection: IP20-Class II Voltage: 180-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: Black Case Colour: Black Bulb Type: GU-10 Length: 100 mm Width: 100 mm Height: 40 mm Working Temperature: -20°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	1,360 FCFA	1,451 FCFA	2,157 FCFA
Recessed Round Spotlight Housing Product Code: 30528 Power: maks. 50 W IP Protection: IP20-Class II Voltage: 180-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: Black Case Colour: Black Bulb Type: GU-10 Length: 100 mm Width: 40 mm Working Temperature: -20°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	1,360 FCFA	1,451 FCFA	2,157 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Recessed Square Spotlight Housing - Set of 2					
Product Code: 69530 Power: maks. 2x50 W IP Protection: IP20-Class II Voltage: 180-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Case Colour: Black Bulb Type: GU-10 Length: 185 mm Width: 100 mm Height: 40 mm Working Temperature: -20°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 30 pcs					
		Piece	2,473 FCFA	2,626 FCFA	3,802 FCFA
Recessed Round Spotlight Housing					
Product Code: 06655 Power: maks. 50 W IP Protection: IP20-Class II Voltage: 180-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Case Colour: White Bulb Type: GU-10 Length: 100 mm Width: 40 mm Working Temperature: -20°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 50 pcs					
		Piece	1,360 FCFA	1,451 FCFA	2,157 FCFA
Recessed Square Spotlight Housing					
Product Code: 56647 Power: maks. 50 W IP Protection: IP20-Class II Voltage: 180-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Case Colour: White Bulb Type: GU-10 Length: 100 mm Width: 100 mm Height: 40 mm Working Temperature: -20°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 50 pcs					
		Piece	1,360 FCFA	1,451 FCFA	2,157 FCFA
Surface-Mounted Round LED Panel					
Product Code: 44473 Power: 18 W Rated Current: 0.14 A Luminous Flux: 1,250 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 165-240 V Frequency: 50-60 Hz Mounting Type: Surface-Mounted Frame Colour: White Length: 210 mm Height: 27 mm Working Temperature: -10°C - +70°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 30 pcs					
		Piece	3,318 FCFA	3,470 FCFA	4,647 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Surface-Mounted Round LED Panel Product Code: 72509 Power: 18 W Rated Current: 0.14 A Luminous Flux: 1,200 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 165-240 V Frequency: 50-60 Hz Mounting Type: Surface-Mounted Frame Colour: White Length: 210 mm Height: 27 mm Working Temperature: -10°C - +70°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 30 pcs		Piece	3,318 FCFA	3,470 FCFA	4,647 FCFA
Surface-Mounted Square LED Panel Product Code: 70853 Power: 18 W Rated Current: 0.14 A Luminous Flux: 1,250 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 165-240 V Frequency: 50-60 Hz Mounting Type: Surface-Mounted Frame Colour: White Length: 210 mm Width: 210 mm Height: 27 mm Working Temperature: -10°C - +70°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 30 pcs		Piece	3,938 FCFA	4,090 FCFA	5,266 FCFA
Surface-Mounted Round LED Panel Product Code: 43606 Power: 18 W Rated Current: 0.14 A Luminous Flux: 1,250 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 165-240 V Frequency: 50-60 Hz Mounting Type: Surface-Mounted Frame Colour: Black Length: 210 mm Height: 27 mm Working Temperature: -10°C - +70°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 30 pcs		Piece	3,656 FCFA	3,808 FCFA	4,985 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Surface-Mounted Round LED Panel					
Product Code: 40772 Power: 18 W Rated Current: 0.14 A Luminous Flux: 1,200 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 165-240 V Frequency: 50-60 Hz Mounting Type: Surface-Mounted Frame Colour: Black Length: 210 mm Height: 27 mm Working Temperature: -10°C - +70°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 30 pcs					
		Piece	3,656 FCFA	3,808 FCFA	4,985 FCFA
Surface-Mounted Square LED Panel					
Product Code: 54691 Power: 18 W Rated Current: 0.14 A Luminous Flux: 1,250 lm Beam Angle: 160 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 165-240 V Frequency: 50-60 Hz Mounting Type: Surface-Mounted Frame Colour: Black Length: 210 mm Width: 210 mm Height: 27 mm Working Temperature: -10°C - +70°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 30 pcs					
		Piece	3,938 FCFA	4,090 FCFA	5,266 FCFA
Recessed Square Spotlight Housing - Set of 2					
Product Code: 55077 Power: maks. 2x50 W IP Protection: IP20-Class II Voltage: 180-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Case Colour: White Bulb Type: GU-10 Length: 185 mm Width: 100 mm Height: 40 mm Working Temperature: -20°C - +50°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 30 pcs					
		Piece	2,473 FCFA	2,626 FCFA	3,802 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com





Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Recessed 3-Color LED Panel Product Code: 24632 Power: 6 W Rated Current: 0.04 A Luminous Flux: 500 lm Beam Angle: 110 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K, 4,000 K, 3,200 K Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Case Colour: Silver Length: 95 mm Width: 35 mm Working Temperature: -20°C - +50°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 200 pcs		Piece	918 FCFA	941 FCFA	1,118 FCFA
Recessed 3-Color LED Panel Product Code: 12090 Power: 6 W Rated Current: 0.04 A Luminous Flux: 500 lm Beam Angle: 110 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K, 4,000 K, 3,200 K Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: Black Case Colour: Silver Length: 95 mm Width: 35 mm Working Temperature: -20°C - +50°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 200 pcs		Piece	918 FCFA	941 FCFA	1,118 FCFA
Recessed LED Panel Product Code: 02779 Power: 40 W Rated Current: 0.18 A Luminous Flux: 3,200 lm Beam Angle: 120 ° IP Protection: IP20-Class II Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Length: 595 mm Width: 595 mm Height: 35 mm Working Temperature: -20°C - +50°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 10 pcs		Piece	7,009 FCFA	7,923 FCFA	14,982 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Recessed LED Panel Product Code: 87811 Power: 40 W Rated Current: 0.18 A Luminous Flux: 3,200 lm Beam Angle: 120 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Frequency: 50-60 Hz Mounting Type: Recessed Frame Colour: White Length: 595 mm Width: 595 mm Height: 35 mm Working Temperature: -20°C - +50°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 10 pcs		Piece	7,009 FCFA	7,923 FCFA	14,982 FCFA
Magnetic Track Spotlight Product Code: 08690 Power: 12 W Rated Current: 0.25 A Luminous Flux: 550 lm Beam Angle: 24 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: DC 48 V Frequency: 50-60 Hz Frame Colour: Black Length: 224 mm Width: 104 mm Height: 22 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	6,233 FCFA	6,288 FCFA	6,712 FCFA
Magnetic Track Spotlight Product Code: 07045 Power: 24 W Rated Current: 0.50 A Luminous Flux: 1,100 lm Beam Angle: 24 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: DC 48 V Frequency: 50-60 Hz Frame Colour: Black Length: 331 mm Width: 104 mm Height: 22 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	9,062 FCFA	9,135 FCFA	9,700 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Magnetic Track Spotlight Product Code: 90468 Power: 12 W Rated Current: 0.25 A Luminous Flux: 250 lm Beam Angle: 24 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: DC 48 V Frequency: 50-60 Hz Frame Colour: Black Length: 300 mm Width: 22 mm Height: 42 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	2,842 FCFA	2,883 FCFA	3,190 FCFA
Magnetic Track Spotlight Product Code: 28567 Power: 24 W Rated Current: 0.50 A Luminous Flux: 375 lm Beam Angle: 24 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: DC 48 V Frequency: 50-60 Hz Frame Colour: Black Length: 600 mm Width: 22 mm Height: 42 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	4,262 FCFA	4,317 FCFA	4,741 FCFA
Magnetic Track Spotlight Product Code: 83674 Power: 15 W Rated Current: 0.31 A Luminous Flux: 500 lm Beam Angle: 24 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: DC 48 V Frequency: 50-60 Hz Frame Colour: Black Length: 100 mm Width: 50 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 20 pcs		Piece	5,724 FCFA	5,866 FCFA	6,960 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Magnetic Track Spotlight Product Code: 95545 Power: 30 W Rated Current: 0.625 A Luminous Flux: 750 lm Beam Angle: 24 ° IP Protection: IP20-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: DC 48 V Frequency: 50-60 Hz Frame Colour: Black Length: 100 mm Width: 60 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 20 pcs		Piece	8,539 FCFA	8,682 FCFA	9,776 FCFA
Magnetic Track Product Code: 31481 Power: maks. 960 W Rated Current: maks. 20 A IP Protection: IP20-Class II Voltage: DC 48 V Mounting Type: Recessed Frame Colour: Black Length: 55 mm Width: 45 mm Height: 1000 mm Working Temperature: -20°C - +40°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 10 pcs		Piece	5,825 FCFA	6,099 FCFA	8,217 FCFA
Magnetic Track Product Code: 67972 Power: maks. 960 W Rated Current: maks. 20 A IP Protection: IP20-Class II Voltage: DC 48 V Mounting Type: Recessed Frame Colour: Black Length: 55 mm Width: 45 mm Height: 2000 mm Working Temperature: -20°C - +40°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 10 pcs		Piece	11,585 FCFA	12,042 FCFA	15,572 FCFA
Magnetic Track Power Supply Product Code: 18944 Power: 100 W Rated Current: 2.08 A IP Protection: IP20-Class II Voltage: AC 220-240 V DC 48 V Frequency: 50-60 Hz Frame Colour: Black Length: 165 mm Width: 22 mm Height: 42 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	4,544 FCFA	4,602 FCFA	5,054 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com




Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Magnetic Track L Connector Product Code: 90418 IP Protection: IP20-Class II Voltage: DC 48 V Frame Colour: Black Length: 100 mm Width: 55 mm Height: 45 mm Working Temperature: -20°C - +40°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	1,990 FCFA	2,018 FCFA	2,230 FCFA
Magnetic Track Wall Return Connector Product Code: 60304 IP Protection: IP20-Class II Voltage: DC 48 V Frame Colour: Black Length: 100 mm Width: 55 mm Height: 45 mm Working Temperature: -20°C - +40°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	1,990 FCFA	2,018 FCFA	2,230 FCFA
Magnetic Track Power Feed Connector Product Code: 38827 IP Protection: IP20-Class II Voltage: DC 48 V Frame Colour: Black Length: 100 mm Width: 55 mm Height: 45 mm Working Temperature: -20°C - +40°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 200 pcs		Piece	854 FCFA	869 FCFA	975 FCFA
Magnetic Track Connector Product Code: 83892 IP Protection: IP20-Class II Voltage: DC 48 V Frame Colour: Black Length: 100 mm Width: 55 mm Height: 45 mm Working Temperature: -20°C - +40°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 200 pcs		Piece	854 FCFA	869 FCFA	975 FCFA
Decorative Glass Spotlight Product Code: 42615 Power: maks. 50 W Rated Current: maks. 0.22 A IP Protection: IP20-Class II Voltage: 220-240 V Mounting Type: Recessed Bulb Type: GU-10 Length: 95 mm Width: 60 mm Working Temperature: -20°C - +45°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	1,484 FCFA	1,512 FCFA	1,723 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Decorative Glass Spotlight Product Code: 30254 Power: maks. 50 W Rated Current: maks. 0.22 A IP Protection: IP20-Class II Voltage: 220-240 V Mounting Type: Recessed Bulb Type: GU-10 Length: 95 mm Width: 60 mm Working Temperature: -20°C - +45°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	2,179 FCFA	2,234 FCFA	2,657 FCFA
Garden and Outdoor Lighting Product Code: 57462 Power: 7 W Rated Current: 0.06 A Luminous Flux: 250 lm Beam Angle: 120 ° IP Protection: IP44-Class II Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Voltage: 220-240 V Mounting Type: Wall-Mounted Frame Colour: Black Length: 140 mm Width: 63 mm Height: 80 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 50 pcs		Piece	4,315 FCFA	4,443 FCFA	5,431 FCFA
Solar Garden and Outdoor Lighting Product Code: 58107 Power: 50 W Rated Current: 0.06 A Luminous Flux: 300 lm Beam Angle: 60 ° IP Protection: IP65-Class III Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Frequency: 50-60 Hz Mounting Type: Platform / Hard Surface Mounted Battery Voltage: 4 AH 3.7 V Solar Battery Voltage: DC 5 V Length: 200 mm Width: 200 mm Height: 192 mm Working Temperature: -10°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 18 pcs		Piece	17,539 FCFA	18,453 FCFA	25,512 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Solar Garden and Outdoor Lighting					
Product Code: 82130 Power: 30 W Rated Current: 1.3 A Luminous Flux: 200 lm Beam Angle: 180 ° IP Protection: IP65-Class III Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Frequency: 50-60 Hz Mounting Type: Platform / Hard Surface Mounted Battery Voltage: 4 AH 3.7 V Solar Battery Voltage: DC 5 V Length: 160 mm Width: 160 mm Height: 215 mm Working Temperature: 0°C - +60°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 20 pcs		Piece	10,306 FCFA	10,946 FCFA	15,888 FCFA
Solar Garden and Outdoor Lighting					
Product Code: 80734 Power: 5 W Rated Current: 1 A Luminous Flux: 100 lm Beam Angle: 350 ° IP Protection: IP44-Class III Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Frequency: 50-60 Hz Mounting Type: Wall-Mounted Battery Voltage: 0.2 AH 1.2 V Solar Battery Voltage: DC 2 V Length: 160 mm Width: 160 mm Height: 215 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 20 pcs		Piece	11,714 FCFA	12,354 FCFA	17,295 FCFA
Solar Garden and Outdoor Lighting					
Product Code: 64590 Power: 5 W Rated Current: 1 A Luminous Flux: 100 lm Beam Angle: 350 ° IP Protection: IP44-Class III Kelvin (Light Colour): 6,400 K (Cool Daylight) Color Rendering Index (Ra): ≥80 Frequency: 50-60 Hz Mounting Type: Ground Spike Mounted Battery Voltage: 0.2 AH 1.2 V Solar Battery Voltage: DC 2 V Length: 160 mm Width: 160 mm Height: 670 mm Working Temperature: -10°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 20 set		Set	13,357 FCFA	14,728 FCFA	25,317 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Solar Garden and Outdoor Lighting Product Code: 98683 Power: 20 W Rated Current: 0.02 A Luminous Flux: 30 lm Beam Angle: 350 ° IP Protection: IP44-Class III Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Frequency: 50-60 Hz Mounting Type: Wall-Mounted Battery Voltage: 4 AH 3.7 V Solar Battery Voltage: DC 5 V Length: 120 mm Height: 171 mm Working Temperature: -10°C - +45°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 80 pcs		Piece	4,611 FCFA	4,760 FCFA	5,907 FCFA
Solar Garden and Outdoor Lighting Product Code: 70534 Power: 20 W Rated Current: 1.5 A Luminous Flux: 50 lm Beam Angle: 120 ° IP Protection: IP65-Class III Kelvin (Light Colour): 3,200 K (Warm White) Color Rendering Index (Ra): ≥80 Frequency: 50-60 Hz Mounting Type: Wall-Mounted Battery Voltage: 4 AH 3.7 V Solar Battery Voltage: DC 5 V Length: 190 mm Width: 90 mm Height: 65 mm Working Temperature: -20°C - +40°C Certification: CE Lifetime (L70): 15,000 hours Warranty: 1 Year Minimum Order Quantity: 40 pcs		Piece	8,560 FCFA	8,721 FCFA	9,956 FCFA
LED Panel Mounting Frame Product Code: 21124 Frame Colour: White Length: 595 mm Width: 595 mm Height: 35 mm Certification: CE Warranty: 1 Year Minimum Order Quantity: 10 pcs		Piece	5,345 FCFA	6,533 FCFA	15,710 FCFA
LED Panel Mounting Frame Product Code: 91639 Frame Colour: White Length: 595 mm Width: 595 mm Height: 35 mm Certification: CE Warranty: 1 Year Minimum Order Quantity: 20 pcs		Piece	3,317 FCFA	4,506 FCFA	13,682 FCFA
Lighting Controller Product Code: 94214 Power: 4x1,000 W Rated Current: maks. 0.012 IP Protection: IP20-Class I Working Temperature: -10°C - +40°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 100 pcs		Piece	3,687 FCFA	3,724 FCFA	4,006 FCFA

COFIWO SARL

Opposite of the General Hospital, Ngousso, Yaoundé / Cameroon
NIU: M012618319923Z Tel: +237 697 94 95 20 E-mail: cameroon@cofiwo.com



Description Description	Photo Photo	Unit Unité	EXW Türkiye Price EXW Türkiye Prix	CFR Kribi Price CFR Kribi Prix	Yaounde Price Yaoundé Prix
Lampholder Product Code: 18953 Voltage: 220 V Working Temperature: -10°C - +40°C Certification: CE Warranty: 1 Year Minimum Order Quantity: 999 pcs		Piece	121 FCFA	126 FCFA	154 FCFA